

Ordering information

NuCLEUS™ Line								
NuCLEUS™ TYSHAK NuCLEUS™	NuCLEUS-X™	Balloon Diameter (mm)	Balloon Length (cm)	Introducer Size (FR)	Shaft Size (FR)	Usable Length (cm)	Guide Wire (Inches)	Rated Burst (ATM)
TN001		4.0	2.0	6	5,5	100	0.035	5
TN002		4.0	3.0	6	5,5	100	0.035	5
TN003		5.0	2.0	6	5,5	100	0.035	5
TN004		5.0	3.0	6	5,5	100	0.035	5
TN005		5.0	4.0	6	5,5	100	0.035	5
TN006		6.0	2.0	6	5,5	100	0.035	5
TN007		6.0	3.0	6	5,5	100	0.035	5
TN008		6.0	4.0	6	5,5	100	0.035	5
TN009		7.0	2.0	6	5,5	100	0.035	5
TN010		7.0	3.0	6	5,5	100	0.035	5
TN011		7.0	4.0	6	5,5	100	0.035	5
TN012		8.0	2.0	6	5,5	100	0.035	5
TN013		8.0	3.0	6	5,5	100	0.035	5
TN014		8.0	4.0	6	5,5	100	0.035	5
TN015		9.0	2.0	6	5,5	100	0.035	5
TN016		9.0	3.0	6	5,5	100	0.035	5
TN017		9.0	4.0	6	5,5	100	0.035	5
TN018		10.0	2.0	7	6	100	0.035	5
TN019		10.0	3.0	7	6	100	0.035	5
TN020		10.0	4.0	7	6	100	0.035	5
PVN218		10.0	3.0	7	6	110	0.035	9
PVN219		10.0	4.0	7	6	110	0.035	9
PVN236		10.0	5.0	7	6	110	0.035	9
PVN237		10.0	6.0	7	6	110	0.035	9
TN021		12.0	2.0	7	6	100	0.035	4,5
TN022		12.0	3.0	7	6	100	0.035	4,5
TN023		12.0	4.0	7	6	100	0.035	4,5
PVN220		12.0	3.0	7	6	110	0.035	7
PVN221		12.0	3.0	8	6	110	0.035	7
PVN222		12.0	4.0	7	6	110	0.035	7
PVN223		12.0	4.0	8	6	110	0.035	7
PVN238		12.0	5.0	8	6	110	0.035	7
PVN239		12.0	6.0	8	6	110	0.035	7
TN024		14.0	3.0	8	6	100	0.035	3,5
TN025		14.0	4.0	8	6	100	0.035	3,5
PVN224		14.0	3.0	9	7	110	0.035	6
PVN225		14.0	4.0	9	7	110	0.035	6
PVN240		14.0	5.0	9	7	110	0.035	6
PVN241		14.0	6.0	9	7	110	0.035	6
TN026		15.0	3.0	8	7	100	0.035	3,5
TN027		15.0	4.0	8	7	100	0.035	3,5
TN028		16.0	3.0	8	7	100	0.035	3,5
TN029		16.0	4.0	8	7	100	0.035	3,5
PVN226		16.0	3.0	9	7	110	0.035	5

Ordering information

NuCLEUS™ Line								
NuCLEUS™ TYSHAK NuCLEUS™	NuCLEUS-X™	Balloon Diameter (mm)	Balloon Length (cm)	Introducer Size (FR)	Shaft Size (FR)	Usable Length (cm)	Guide Wire (Inches)	Rated Burst (ATM)
PVN227		16.0	4.0	9	7	110	0.035	5
PVN242		16.0	5.0	9	7	110	0.035	5
PVN243		16.0	6.0	9	7	110	0.035	5
TN030		18.0	3.0	9	8	100	0.035	3
TN031		18.0	4.0	9	8	100	0.035	3
PVN228		18.0	3.0	10	8	110	0.035	4
PVN229		18.0	4.0	10	8	110	0.035	4
PVN244		18.0	5.0	10	8	110	0.035	4
PVN245		18.0	6.0	10	8	110	0.035	4
	PVN400	18.0	4.0	10	9	110	0.035	4
	PVN401	18.0	5.0	10	9	110	0.035	4
	PVN402	18.0	6.0	10	9	110	0.035	4
TN032		20.0	3.0	10	8	100	0.035	2
TN033		20.0	4.0	10	8	100	0.035	2
PVN230		20.0	4.0	12	8	110	0.035	4
PVN246		20.0	5.0	12	8	110	0.035	4
PVN247		20.0	6.0	12	8	110	0.035	4
	PVN403	20.0	4.0	12	9	110	0.035	4
	PVN404	20.0	5.0	12	9	110	0.035	4
	PVN405	20.0	6.0	12	9	110	0.035	4
TN034		22.0	3.0	11	9	100	0.035	2
TN035		22.0	4.0	11	9	100	0.035	2
PVN231		22.0	4.0	12	9	110	0.035	4
PVN248		22.0	5.0	12	9	110	0.035	4
PVN249		22.0	6.0	12	9	110	0.035	4
	PVN406	22.0	4.0	12	9	110	0.035	3
	PVN407	22.0	5.0	12	9	110	0.035	3
	PVN408	22.0	6.0	12	9	110	0.035	3
TN036		25.0	3.0	11	9	100	0.035	2
TN037		25.0	4.0	11	9	100	0.035	2
PVN232		25.0	4.0	12	9	110	0.035	4
PVN250		25.0	5.0	12	9	110	0.035	4
PVN251		25.0	6.0	12	9	110	0.035	4
	PVN409	25.0	4.0	12	9	110	0.035	3
	PVN410	25.0	5.0	12	9	110	0.035	3
	PVN411	25.0	6.0	12	9	110	0.035	3
PVN233		28.0	4.0	12	9	110	0.035	2
PVN234		28.0	4.0	14	9	110	0.035	2
PVN252		28.0	5.0	14	9	110	0.035	2
PVN253		28.0	6.0	14	9	110	0.035	2
	PVN412	28.0	4.0	12	9	110	0.035	2
	PVN413	28.0	5.0	12	9	110	0.035	2
	PVN414	28.0	6.0	12	9	110	0.035	2
PVN235		30.0	4.0	14	9	110	0.035	2

Ordering information

NuCLEUS™ Line

NuCLEUS™ TYSHAK NuCLEUS™	NuCLEUS-X™	Balloon Diameter (mm)	Balloon Length (cm)	Introducer Size (FR)	Shaft Size (FR)	Usable Length (cm)	Guide Wire (Inches)	Rated Burst (ATM)
PVN254		30.0	5.0	14	9	110	0.035	2
PVN255		30.0	6.0	14	9	110	0.035	2
	PVN415	30.0	4.0	14	9	110	0.035	2
	PVN416	30.0	5.0	14	9	110	0.035	2
	PVN417	30.0	6.0	14	9	110	0.035	2

COEfficient™

Usable Lengths 75 cm	(Shaft Length) 150 cm	Balloon Diameter (mm)	Balloon Length (cm)	Introducer Size (FR)	Shaft Size (FR)	Guide Wire (Inches)	Rated Burst (ATM)
COE101	COE128	4.0	2.0	4	3.5	0.018	13
COE102	COE137	4.0	3.0	4	3.5	0.018	13
COE103	COE138	4.0	4.0	4	3.5	0.018	13
COE104	COE129	5.0	2.0	4	3.5	0.018	12
COE105	COE139	5.0	3.0	4	3.5	0.018	12
COE106	COE140	5.0	4.0	4	3.5	0.018	12
COE107	COE130	6.0	2.0	5	3.5	0.018	12
COE108	COE141	6.0	3.0	5	3.5	0.018	12
COE109	COE142	6.0	4.0	5	3.5	0.018	12
COE110	COE131	7.0	2.0	5	3.5	0.018	11
COE111	COE143	7.0	3.0	5	3.5	0.018	11
COE112	COE144	7.0	4.0	5	3.5	0.018	11
COE113	COE132	8.0	2.0	6	3.5	0.018	10
COE114	COE145	8.0	3.0	6	3.5	0.018	10
COE115	COE146	8.0	4.0	6	3.5	0.018	10
SN032	N/A	9.0	2.0	5	3.5	0.018	10
COE116	N/A	9.0	2.0	6	3.5	0.018	10
COE117	COE147	9.0	3.0	6	3.5	0.018	10
COE118	COE148	9.0	4.0	6	3.5	0.018	10
COE119	COE134	10.0	2.0	6	3.5	0.018	10
COE120	COE149	10.0	3.0	6	3.5	0.018	10
COE121	COE150	10.0	4.0	6	3.5	0.018	10
COE122	COE135	11.0	2.0	6	3.5	0.018	8
COE123	COE151	11.0	3.0	6	3.5	0.018	8
COE124	COE152	11.0	4.0	6	3.5	0.018	8
COE125	COE136	12.0	2.0	6	3.5	0.018	7
COE126	COE153	12.0	3.0	7	3.5	0.018	7
COE127	COE154	12.0	4.0	7	3.5	0.018	7