

Ordering information

Z-MED™ Line									
Z-MED™	Z-MED™-X	Balloon Diameter (mm)	Balloon Length (cm)	Introducer Size (FR)	Shaft Size (FR)	Usable Length (cm)	Guide Wire (Inches)	Rated Burst (ATM)	Nominal Pressure (ATM)
Z-MED™ II	Z-MED™ II-X								
PDZ600		4.0	2.0	5	5	100	0.025	15	6
PDZ323		4.0	2.0	6	5	100	0.025	10	N/A
PDZ601		4.0	3.0	5	5	100	0.025	15	6
PDZ602		4.0	4.0	5	5	100	0.025	15	6
PDZ603		4.0	5.0	5	5	100	0.025	15	6
PDZ604		4.0	6.0	5	5	100	0.025	15	6
PDZ324		5.0	2.0	6	5	100	0.025	10	N/A
PDZ605		5.0	2.0	6	5	100	0.025	15	6
PDZ606		5.0	3.0	6	5	100	0.025	15	6
PDZ607		5.0	4.0	6	5	100	0.025	15	6
PDZ608		5.0	5.0	6	5	100	0.025	15	6
PDZ609		5.0	6.0	6	5	100	0.025	15	6
PDZ325		6.0	2.0	6	5	100	0.025	10	N/A
PDZ610		6.0	2.0	6	5	100	0.025	15	6
PDZ611		6.0	3.0	6	5	100	0.025	15	6
PDZ344		6.0	3.0	7	6	100	0.035	10	N/A
PDZ612		6.0	4.0	6	5	100	0.025	15	6
PDZ613		6.0	5.0	6	5	100	0.025	15	6
PDZ614		6.0	6.0	6	5	100	0.025	15	6
PDZ317		7.0	2.0	6	5	100	0.025	10	N/A
PDZ615		7.0	2.0	6	5	100	0.025	15	6
PDZ616		7.0	3.0	6	5	100	0.025	15	6
PDZ617		7.0	4.0	6	5	100	0.025	15	6
PDZ618		7.0	5.0	6	5	100	0.025	15	6
PDZ619		7.0	6.0	6	5	100	0.025	15	6
PDZ326	PDZ400	8.0	2.0	7	6	100	0.035	10	N/A
PDZ620	PDZ700	8.0	2.0	7	6	100	0.035	15	6
PDZ327	PDZ401	8.0	3.0	7	6	100	0.035	10	N/A
PDZ621	PDZ701	8.0	3.0	7	6	100	0.035	15	6
	PDZ402	8.0	4.0	7	6	100	0.035	10	N/A
PDZ622	PDZ702	8.0	4.0	7	6	100	0.035	15	6
	PDZ403	8.0	5.0	7	6	100	0.035	10	N/A
PDZ623	PDZ703	8.0	5.0	7	6	100	0.035	15	6
	PDZ404	8.0	6.0	7	6	100	0.035	10	N/A
PDZ624	PDZ704	8.0	6.0	7	6	100	0.035	15	6
PDZ328	PDZ405	9.0	2.0	7	6	100	0.035	10	N/A
PDZ625	PDZ705	9.0	2.0	7	6	100	0.035	14	6
PDZ329	PDZ406	9.0	3.0	7	6	100	0.035	10	N/A
PDZ626	PDZ706	9.0	3.0	7	6	100	0.035	14	6
	PDZ407	9.0	4.0	7	6	100	0.035	10	N/A
PDZ627	PDZ707	9.0	4.0	7	6	100	0.035	14	6
	PDZ408	9.0	5.0	7	6	100	0.035	10	N/A
PDZ628	PDZ708	9.0	5.0	7	6	100	0.035	14	6
	PDZ409	9.0	6.0	7	6	100	0.035	10	N/A

Ordering information

Z-MED™ Line									
Z-MED™	Z-MED™-X	Balloon Diameter (mm)	Balloon Length (cm)	Introducer Size (FR)	Shaft Size (FR)	Usable Length (cm)	Guide Wire (Inches)	Rated Burst (ATM)	Nominal Pressure (ATM)
Z-MED™ II	Z-MED™ II-X								
PDZ629	PDZ709	9.0	6.0	7	6	100	0.035	14	6
PDZ630	PDZ710	10.0	2.0	7	6	100	0.035	13	6
PDZ330	PDZ410	10.0	2.0	7	6	100	0.035	9	N/A
PDZ631	PDZ711	10.0	3.0	7	6	100	0.035	13	6
PDZ331	PDZ411	10.0	3.0	7	6	100	0.035	9	N/A
PDZ632	PDZ712	10.0	4.0	7	6	100	0.035	13	6
PDZ341	PDZ412	10.0	4.0	7	6	100	0.035	9	N/A
PDZ633	PDZ713	10.0	5.0	7	6	100	0.035	13	6
	PDZ413	10.0	5.0	7	6	100	0.035	9	N/A
PDZ634	PDZ714	10.0	6.0	7	6	100	0.035	13	6
	PDZ414	10.0	6.0	7	6	100	0.035	9	N/A
PDZ371		11.0	3.0	7	6	100	0.035	7	N/A
S0028		11.0	3.0	8	6	100	0.035	10	6
S0039		11.0	4.0	8	6	100	0.035	10	6
SN022	PDZ415	12.0	2.0	7	6	100	0.035	7	N/A
PDZ635	PDZ715	12.0	2.0	8	6	100	0.035	10	6
PDZ342		12.0	2.0	8	6	100	0.035	7	N/A
SN023	PDZ416	12.0	3.0	7	6	100	0.035	7	N/A
PDZ636	PDZ716	12.0	3.0	8	6	100	0.035	10	6
PDZ318		12.0	3.0	8	6	100	0.035	7	N/A
PDZ364		12.0	3.0	8	7	100	0.035	7	N/A
S0093		12.0	3.5	8	6	100	0.035	10	6
SN025	PDZ417	12.0	4.0	7	6	100	0.035	7	N/A
PDZ637	PDZ717	12.0	4.0	8	6	100	0.035	10	6
PDZ332		12.0	4.0	8	6	100	0.035	7	N/A
PDZ365		12.0	4.0	8	7	100	0.035	7	N/A
SN026	PDZ418	12.0	5.0	7	6	100	0.035	7	N/A
PDZ638	PDZ718	12.0	5.0	8	6	100	0.035	10	6
	PDZ419	12.0	6.0	7	6	100	0.035	7	N/A
PDZ639	PDZ719	12.0	6.0	8	6	100	0.035	10	6
PDZ378		12.0	6.0	8	6	100	0.035	7	N/A
S0068		12.0	2.5	8	6	100	0.035	10	6
SN047		13.0	3.0	9	7	100	0.035	10	5
PDZ348		13.0	3.0	9	7	100	0.035	6	N/A
SN048		13.0	4.0	9	7	100	0.035	10	5
PDZ349		13.0	5.0	9	7	100	0.035	6	N/A
PDZ681		14.0	2.0	9	7	100	0.035	10	5
SN027		14.0	3.0	7	6	100	0.035	6	N/A
	PDZ420	14.0	3.0	8	7	100	0.035	6	N/A
PDZ640	PDZ720	14.0	3.0	9	7	100	0.035	10	5
PDZ333		14.0	3.0	9	7	100	0.035	6	N/A
PDZ368		14.0	3.0	9	8	100	0.035	6	N/A
PDZ380		14.0	4.0	7	6	100	0.035	6	N/A
	PDZ421	14.0	4.0	8	7	100	0.035	6	N/A

Ordering information

Z-MED™ Line									
Z-MED™	Z-MED™-X	Balloon Diameter	Balloon Length	Introducer Size	Shaft Size	Usable Length	Guide Wire	Rated Burst	Nominal Pressure
Z-MED™ II	Z-MED™ II-X	(mm)	(cm)	(FR)	(FR)	(cm)	(Inches)	(ATM)	(ATM)
PDZ641	PDZ721	14.0	4.0	9	7	100	0.035	10	5
PDZ334		14.0	4.0	9	7	100	0.035	6	N/A
PDZ369		14.0	4.0	9	8	100	0.035	6	N/A
	PDZ422	14.0	5.0	8	7	100	0.035	6	N/A
PDZ642	PDZ722	14.0	5.0	9	7	100	0.035	10	5
PDZ351		14.0	5.0	9	7	100	0.035	6	N/A
	PDZ423	14.0	6.0	8	7	100	0.035	6	N/A
PDZ643	PDZ723	14.0	6.0	9	7	100	0.035	10	5
PDZ359		15.0	2.0	9	7	100	0.035	5	N/A
	PDZ424	15.0	3.0	8	7	100	0.035	5	N/A
PDZ335		15.0	3.0	9	7	100	0.035	5	N/A
PDZ644	PDZ724	15.0	3.0	9	7	100	0.035	8	5
	PDZ425	15.0	4.0	8	7	100	0.035	5	N/A
PDZ336		15.0	4.0	9	7	100	0.035	5	N/A
PDZ645	PDZ725	15.0	4.0	9	7	100	0.035	8	5
PDZ366		15.0	4.0	9	8	100	0.035	5	N/A
	PDZ426	15.0	5.0	8	7	100	0.035	5	N/A
PDZ361		15.0	5.0	9	7	100	0.035	5	N/A
PDZ646	PDZ726	15.0	5.0	9	7	100	0.035	8	5
	PDZ427	15.0	6.0	8	7	100	0.035	5	N/A
PDZ647	PDZ727	15.0	6.0	9	7	100	0.035	8	5
PDZ322	PDZ428	16.0	3.0	9	7	100	0.035	5	N/A
PDZ648	PDZ728	16.0	3.0	9	7	100	0.035	8	4
PDZ319	PDZ429	16.0	4.0	9	7	100	0.035	5	N/A
PDZ649	PDZ729	16.0	4.0	9	7	100	0.035	8	4
PDZ367		16.0	4.0	9	8	100	0.035	5	N/A
	PDZ430	16.0	5.0	9	7	100	0.035	5	N/A
PDZ650	PDZ730	16.0	5.0	9	7	100	0.035	8	4
PDZ370	PDZ431	16.0	6.0	9	7	100	0.035	5	N/A
PDZ651	PDZ731	16.0	6.0	9	7	100	0.035	8	4
PDZ354		17.0	3.0	10	7	100	0.035	4	N/A
PDZ355		17.0	6.0	10	7	100	0.035	4	N/A
PDZ356		18.0	3.0	10	7	100	0.035	4	N/A
PDZ373	PDZ432	18.0	3.0	10	8	100	0.035	4	N/A
PDZ652	PDZ732	18.0	3.0	10	8	100	0.035	7	4
PDZ347		18.0	4.0	9	8	100	0.035	4	N/A
PDZ337	PDZ433	18.0	4.0	10	8	100	0.035	4	N/A
PDZ653	PDZ733	18.0	4.0	10	8	100	0.035	7	4
PDZ686		18.0	4.5	11	10	110	0.035	7	4
	PDZ434	18.0	5.0	10	8	100	0.035	4	N/A
PDZ654	PDZ734	18.0	5.0	10	8	100	0.035	7	4
PDZ357		18.0	6.0	10	7	100	0.035	4	N/A
	PDZ435	18.0	6.0	10	8	100	0.035	4	N/A
PDZ655	PDZ735	18.0	6.0	10	8	100	0.035	7	4

Ordering information

Z-MED™ Line									
Z-MED™	Z-MED™-X	Balloon Diameter (mm)	Balloon Length (cm)	Introducer Size (FR)	Shaft Size (FR)	Usable Length (cm)	Guide Wire (Inches)	Rated Burst (ATM)	Nominal Pressure (ATM)
Z-MED™ II	Z-MED™ II-X								
PDZ358		19.0	6.0	11	7	100	0.035	4	N/A
	PDZ436	20.0	3.0	11	8	100	0.035	4	N/A
PDZ382		20.0	3.0	12	8	100	0.035	4	N/A
PDZ656	PDZ736	20.0	3.0	12	8	100	0.035	5	2
	PDZ437	20.0	4.0	11	8	100	0.035	4	N/A
PDZ320		20.0	4.0	12	8	100	0.035	4	N/A
PDZ657	PDZ737	20.0	4.0	12	8	100	0.035	5	2
PDZ678		20.0	4.5	11	10	110	0.035	5	2
	PDZ438	20.0	5.0	11	8	100	0.035	4	N/A
PDZ360		20.0	5.0	12	8	100	0.035	4	N/A
PDZ658	PDZ738	20.0	5.0	12	8	100	0.035	5	2
	PDZ439	20.0	6.0	11	8	100	0.035	4	N/A
PDZ659	PDZ739	20.0	6.0	12	8	100	0.035	5	2
S0005		20.0	6.0	12	9	100	0.035	4	N/A
S0080		20.0	8.0	12	9	100	0.035	4	N/A
	PDZ440	22.0	3.0	11	9	100	0.035	3	N/A
PDZ660	PDZ740	22.0	3.0	12	9	100	0.035	4	2
	PDZ441	22.0	4.0	11	9	100	0.035	3	N/A
PDZ338		22.0	4.0	12	9	100	0.035	3	N/A
PDZ661	PDZ741	22.0	4.0	12	9	100	0.035	4	2
PDZ679		22.0	4.5	12	10	110	0.035	4	2
	PDZ442	22.0	5.0	11	9	100	0.035	3	N/A
PDZ662	PDZ742	22.0	5.0	12	9	100	0.035	4	2
	PDZ443	22.0	6.0	11	9	100	0.035	3	N/A
S0006		22.0	6.0	12	9	100	0.035	3	N/A
PDZ663	PDZ743	22.0	6.0	12	9	100	0.035	4	2
S0081		22.0	8.0	12	9	100	0.035	3	N/A
	PDZ744	23.0	3.0	13	9	100	0.035	4	2
PDZ664		23.0	3.0	14	9	100	0.035	4	2
	PDZ745	23.0	4.0	13	9	100	0.035	4	2
PDZ665		23.0	4.0	14	9	100	0.035	4	2
PDZ682		23.0	4.5	12	10	110	0.035	4	2
S0016		23.0	5.0	12	9	100	0.035	3	N/A
	PDZ746	23.0	5.0	13	9	100	0.035	4	2
PDZ666		23.0	5.0	14	9	100	0.035	4	2
	PDZ747	23.0	6.0	13	9	100	0.035	4	2
PDZ667		23.0	6.0	14	9	100	0.035	4	2
S0089		24.0	3.0	12	9	100	0.035	3	N/A
S0059		24.0	4.0	12	9	100	0.035	3	N/A
PDZ397		24.0	5.0	12	9	100	0.035	3	N/A
S0040		25.0	2.0	14	9	100	0.035	4	2
S0056	PDZ444	25.0	3.0	12	9	100	0.035	3	N/A
PDZ668	PDZ748	25.0	3.0	14	9	100	0.035	4	2
PDZ339	PDZ445	25.0	4.0	12	9	100	0.035	3	N/A

Ordering information

Z-MED™ Line									
Z-MED™	Z-MED™-X	Balloon Diameter (mm)	Balloon Length (cm)	Introducer Size (FR)	Shaft Size (FR)	Usable Length (cm)	Guide Wire (Inches)	Rated Burst (ATM)	Nominal Pressure (ATM)
Z-MED™ II	Z-MED™ II-X								
PDZ669	PDZ749	25.0	4.0	14	9	100	0.035	4	2
PDZ680		25.0	4.5	12	10	110	0.035	4	2
PDZ362	PDZ446	25.0	5.0	12	9	100	0.035	3	N/A
PDZ670	PDZ750	25.0	5.0	14	9	100	0.035	4	2
PDZ374	PDZ447	25.0	6.0	12	9	100	0.035	3	N/A
PDZ671	PDZ751	25.0	6.0	14	9	100	0.035	4	2
S0082		25.0	8.0	12	9	100	0.035	3	N/A
S0061		26.0	2.0	12	9	100	0.035	3	N/A
PDZ672		26.0	2.0	14	9	100	0.035	4	2
S0060		26.0	4.0	12	9	100	0.035	3	N/A
S0070		26.0	4.0	14	9	100	0.035	4	2
PDZ683		26.0	4.5	13	10	110	0.035	4	2
S0087		26.0	6.0	12	9	100	0.035	3	N/A
PDZ673		28.0	2.0	16	11	100	0.035	3.5	2
	PDZ448	28.0	3.0	12	9	100	0.035	2	N/A
PDZ387	PDZ449	28.0	4.0	12	9	100	0.035	2	N/A
S0071	PDZ752	28.0	4.0	16	11	100	0.035	3.5	2
PDZ684		28.0	4.5	14	11	110	0.035	3.5	2
	PDZ450	28.0	5.0	12	9	100	0.035	2	N/A
	PDZ451	28.0	6.0	12	9	100	0.035	2	N/A
S0088		28.0	6.0	12	9	100	0.035	2	N/A
S0096		28.0	8.0	12	9	100	0.035	2	N/A
PDZ674		30.0	2.0	16	11	100	0.035	3	2
	PDZ452	30.0	3.0	13	9	100	0.035	2	N/A
	PDZ453	30.0	4.0	13	9	100	0.035	2	N/A
S0072	PDZ753	30.0	4.0	16	11	100	0.035	3	2
PDZ685		30.0	4.5	14	11	110	0.035	3	2
	PDZ454	30.0	5.0	13	9	100	0.035	2	N/A
S0079		30.0	5.0	16	11	100	0.035	3	2
	PDZ455	30.0	6.0	13	9	100	0.035	2	N/A
PDZ394		30.0	6.0	14	9	100	0.035	2	N/A
S0013		30.0	6.0	14	9	100	0.035	2	N/A
PDZ675		30.0	6.0	16	11	100	0.035	3	2
S0083		30.0	8.0	14	9	100	0.035	2	N/A
PDZ677		30.0	10.0	16	11	100	0.035	3	2
S0099		33.0	2.0	16	11	100	0.035	1.5	N/A
S0073		33.0	4.0	16	11	100	0.035	1.5	N/A
S0074		33.0	6.0	16	11	100	0.035	1.5	N/A
S0075		35.0	4.0	16	11	100	0.035	1.5	N/A
S0076		35.0	6.0	16	11	100	0.035	1.5	N/A
S0077		40.0	4.0	16	11	100	0.035	1	N/A
S0078		40.0	6.0	16	11	100	0.035	1	N/A